


Aimpoint.

ACRO P-2 MOUNTING STANDARD



*Measurements are in millimeters

Aimpoint ACRO P-2


The Aimpoint ACRO is an enclosed mini reflex sight. As such, it doesn't have any top-down screws that you see on other mounting footprints. Instead, it's a clamping system with a crossbolt that serves as a recoil lug, making it much more similar to a conventional red dot sight than most mini reflex mounts.

NOTE: this footprint is very similar to that of the Steiner MPS. They are similar enough that ACRO adapters can also fit the MPS.

COMPATIBLE OPTICS	
Acro C-1 / C-2	Acro P-1 / P-2
Steiner MPS	Vector Optics Frenzy Plus 1x18x20

Aimpoint.

MICRO T-2 MOUNTING STANDARD



*Measurements are in millimeters

Aimpoint Micro T-2

This is the most popular footprint for micro red dots sights. The majority of micro red dots on the market are compatible with this footprint, leading it to have a sizable aftermarket for mounts and risers. The attachment system is fairly simple: four screws at the four corners, connecting to the bottom of the optic. The raised middle portion keeps the optic zeroed through recoil and shock.

*Compatible optics listed on the next page.

COMPATIBLE OPTICS

Actus Core-1 / 2 (1x20)	Aimpoint CompM5 (b & s)	Aimpoint Duty RDS
Aimpoint Micro H-1 / H-2	Aimpoint Micro T-1 / T-2	Athlon Midas TSR2
Blaser RD 17	Burris Fastfire RD	Bushnell TRS-125
DI Optical SP1	Holosun 403B (C, GL, R)	Holosun 503BU (C, CU, FL, G, GU, R)
Holosun 515C (CM, CT, GM, GT)	Holosun 530C / G	Kahles Helia RD-C
MAKdot S 1x20	Minox RV1	Primary Arms Classic Series 25mm Red Dot Sight 2 MOA Dot
Primary Arms Classic Series MD-RB-GII Microdot Red Dot Sight	Primary Arms SLX Advanced Rotary Knob	Primary Arms SLX MD-20
Primary Arms SLX MD-25	Sig Sauer Romeo4 (5 & MSR)	Sightmark Element Mini Solar
Sightmark Wolverine 1x23 (1x28 FSR)	Swampfox Liberator 1x22	Vector Optics Centurion 1x20
Vector Optics Maverick 1x22 (Gen II)	Vector Optics Scrapper 1x22 (1x25)	Vortex Crossfire
Vortex Sparc AR (Solar)	Vortex Sparc Solar	ZeroTech Thrive

Aimpoint.

COMPM4S MOUNTING STANDARD



*Measurements are in millimeters

Aimpoint CompM4/M4s

Few red dots are as battle-proven as the CompM4. It's mounting system is fairly simple, with two large screws that fasten through the mount into the bottom of the optic. Note that while the CompM4 and CompM4s have the same footprint, not all M4 mounts will work with an M4s. The distinguishing feature of the M4s is its lowered battery compartment, which, on some particularly low M4 mounts, will interfere with the mounting base.

COMPATIBLE OPTICS
Aimpoint CompM4 (s, h)



RTS / STS MOUNTING STANDARD



*Measurements are in millimeters


C-more RTS/STS

A simple footprint that accommodates a healthy selection of optics, including Sig Sauer's popular Romeo3 and Vortex's Razor line. Its pattern consists of two screws and two sockets for recoil lugs—a robust but simple combination that contributes to its relative popularity.

COMPATIBLE OPTICS		
C-more RTS	C-more RTS 2	C-more STS
C-more STS 2	Delta Optical MiniDot HD 24	Delta Optical MiniDot HD 26
Delta Optical Stryker	FTP Optics Alpha 3	Kahles Helia RD
Kite Optics K1	Primary Arms RS-15	Sig Sauer Romeo3 1x25
Sig Sauer Romeo3 Max 1x30	Sig Sauer Romeo3 XL 1x35	Vector Optics Frenzy 1x26x32
Vortex Razor		



DOCTER/NOBLEX MOUNTING STANDARD



*Measurements are in millimeters

Docter/Noblex

The Docter/Noblex is the most widely used footprint in the optics industry, with dozens of top-selling models favoring this mounting pattern. This may come as a surprise to some, especially given the breadth of support for the RMR-style footprint. Like many other footprints on this list, the Docter/Noblex footprint has two screw holes and four slots for recoil lugs, ensuring reliable performance and simplicity in machining.


*Compatible optics listed on the next page.

COMPATIBLE OPTICS

Ade Advanced Optics RD3-002	ADE Advanced Optics RD3-006A Huracan	ADE Advanced Optics RD3-006B Huracan
ADE Advanced Optics RD3-009 Crusader	ADE Advanced Optics RD3-012 Delta	ADE Advanced Optics RD3-012 Delta Pro
ADE Advanced Optics RD3-013 Bertrillium	Athlon Midas TSR1	Burris Fastfire 2* (3* & 4)
Delta Optical MiniDot* (II*)	Docter QUICKsight 5.0 VR	Docter Sight 2 Plus (3 & C)
Hawke Reflex 1x25*	Hex Dragonfly	Leica Tempus
Leica Tempus 2	MAKdot 1x25	MAKdot SH
Meopta Meosight IV	Noblex QUICKsight 5.0 VR	Noblex Sight 2 Plus (3, C, G)
Primary Arms SLx RS-10	Sightmark Mini Shot M-Spec (Pro Spec*)	US Optics DRS 2.0* (Enhanced)
UTG OP3 Micro	Vector Optics Frenzy 1x17x24 (1x20x28*)	Vomz Pilad 1x20
Vortex Venom	Vortex Viper	



SHIELD RMS-SMS MOUNTING STANDARD




Shield RMS/SMS

The shield RMS/SMS footprint is smaller than most, as Shield sights themselves are fairly compact. Like other footprints, it uses the tried-and-true layout with two screws and four slots for recoil lugs/pins. It has an interesting relationship with the even smaller RSMc footprint, which actually has the same exact pin/slot layout.

COMPATIBLE OPTICS		
ADE Advanced Optics RD3-018 Spike	ADE Advanced Optics RD3-021 Nuwa	ADE Advanced Optics RD3-021 Nuwa Pro
Ade Advanced Optics RD3-030 Apollo Pro	GPO Spectra Pistol Dot	Holosun SCS 320
JP Enterprises JPoint	Shield RMS	Shield RMS 2
Shield RMSc	Shield RMSd	Shield RMSw
Shield RMSx	Shield SMS	Shield SMS 2.0
Shield SMSc	Sig Sauer Romeo Zero	Sightmark Mini Shot A-Spec M3
Swampfox Sentinel 1x16	UTG OP3 Mini Micro	Vector Optics Frenzy-S 1x16x22
Vector Optics Frenzy-S 1x17x24 MIC	Vortex Defender CCW	



SHIELD RMSC MOUNTING STANDARD



*Measurements are in millimeters

Shield RMSc

The shield RMSc footprint has the same screw/slot dimensions as the RMS but is slightly more compact. This makes it a natural choice for ultra-compact optics and sub-compact handguns, where concealability is king. You'll see this footprint used widely on many of the most popular concealed carry handguns.

COMPATIBLE OPTICS		
Bushnell RXU-200	Bushnell RXC-200	Holosun 507k
Holosun 407k-GR X2	Primary Arms MRSC	Riton Optics X3 Tactix MPRD
Riton Optics X3 Tactix MPRD 2	Swampfox Sentinel 1x16	Sig Sauer RomeoZero 1x24
Sig Sauer RomeoZero Elite 1x24	Shield RMSc	Shield SMSc
Sousa DARC	Sightmark Mini Shot A-Spec M3	Sightmark Mini Shot M-Spec M3 Solar
TruGlo XR21		



GLOCK MOS MOUNTING STANDARD



*Measurements are in millimeters

GLOCK MOS

An exclusive mounting footprint for GLOCK handguns, the Modular Optic System (MOS) is their standard factory footprint for optic-ready pistols. The MOS system uses plates to adapt to various optical footprints, though some optics fit MOS directly too. If you want a GLOCK pistol with an optic cut from factory, the MOS is your best choice.

NOTE: Compatible optics are directly mountable to GLOCK MOS cut slides.


COMPATIBLE OPTICS

Holosun SCS MOS

Noblex Red Dot Sight for Glock MOS

Holosun

AEMS MOUNTING STANDARD



*Measurements are in millimeters

Holosun AEMS

This footprint was developed for Holosun's AEMS red dot, a compact rifle dot that delivers incredible value for an affordable price point. It has four screw holes and two recoil pin/lug slots, as well as a center lug.


COMPATIBLE OPTICS

Holosun AEMS

Holosun AEMS Core

Holosun

509T MOUNTING STANDARD



*Measurements are in millimeters


Holosun 509T X2

The Holosun 509T is another enclosed mini reflex, which means it cannot use the conventional top-screw design found on their sights. Its footprint is similar to the ACRO in that it's usually paired with an adapter plate that gives a clamping surface for the optic. The optic then attaches to the plate with a crossbolt.

COMPATIBLE OPTICS
Holosun 509T X2

Holosun

510C MOUNTING STANDARD



*Measurements are in millimeters


Holosun 510C

This is an exclusive mounting footprint for the Holosun HS510C reflex optic. There are no other optics, to our knowledge, which utilize this footprint. Out of the box, the optic comes with a QD-style throw lever picatinny mount, which is attached by four screws underneath the optic. Though this is a fairly niche footprint, there are a few aftermarket mounts and spacers available.

COMPATIBLE OPTICS

Holosun 510C

 LEUPOLD
DELTAPOINT PRO



*Measurements are in millimeters

Leupold Deltapoint Pro

This is the signature mounting footprint for Leupold's Deltapoint Pro series, as well as a couple of other compatible models. It has two top-mounted screws and four recesses for recoil pins. The spacing on the screws accommodates a top-mounted battery compartment, so these optics do not need to be removed or re-zeroed to change battery.

COMPATIBLE OPTICS
Bushnell RXS-100
Bushnell RXS-250
Holosun SCS320
Leupold Deltapoint Pro



MRO MOUNTING STANDARD



*Measurements are in millimeters

Trijicon MRO

The Trijicon MRO is another compact red dot sight with its own unique mounting footprint, though this footprint has also been adopted by the Burris RT-1X. Like most micro dot footprints, it has four screw holes with one in each corner. The optic also has a raised portion at its center, which indexes with a trench in the mount for optical alignment.

COMPATIBLE OPTICS


Trijicon MRO

Trijicon MRO Patrol

Burris RT-1X



RMR/SRO MOUNTING STANDARD



*Measurements are in millimeters


Trijicon RMR/SRO

One of the most popular footprints available, the Trijicon RMR footprint has been a staple of the industry ever since Trijicon released their now best-selling reflex sight. The RMR's unique durability led it to near universal acclaim, with massive aftermarket support in mounts, adapters, slides, and more. This footprint uses two screw holes and two sockets for recoil lugs/pins. It accommodates both the RMR and SRO as well as the newer RCR and RMR HD models.

COMPATIBLE OPTICS		
ADE Advanced Optics RD3-019 Stingray	ADE Advanced Optics RD3-020 Raptor	ADE Advanced Optics RD3-023 Valkyrie
Holosun 407C	Holosun 407C V2	Holosun 407C X2
Holosun 507C	Holosun 507C V2	Holosun 507C X2
Holosun 508T	Holosun 508T X2	NcStar VISM FlipDot Pro
Primary Arms MRS	Riton X3 Tactix PRD	Swampfox Justice RMR 1x27
Swampfox Liberty RMR 1x22	Swampfox Kingslayer	Trijicon RCR
Trijicon RMR	Trijicon RMR HD	Trijicon SRO
Truglo XR24	Truglo XR29	Vector Optics Frenzy 1x22x26



RMRcc MOUNTING STANDARD



*Measurements are in millimeters

Trijicon RMRcc

This footprint was developed to fit the more compact RMRcc micro reflex, a top choice for concealed carry and subcompact pistols. The RMRcc footprint has two top-mounted screw holes. It doesn't have any slots for recoil lugs.

COMPATIBLE OPTICS
Trijicon RMRcc